

Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006



Basfoliar® Black SL

Version: 1.1
Date of last issue: 30.05.2023
Date of first issue: 30.05.2023

Revision Date:
08.02.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Basfoliar® Black SL
UFI : 3TU0-T0MS-F00K-6GFA

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Fertiliser

1.3 Details of the supplier of the safety data sheet

Company : COMPO EXPERT GmbH
Krögerweg 10
D-48155 Münster
Telephone : +49 (0) 251 29 79 81 – 000
Telefax : +49 (0) 251 29 79 81 - 111
E-mail address of person responsible for the SDS : info@compo-expert.com

1.4 Emergency telephone number

GBK GmbH - Global Regulatory Compliance - 24h
Telephone: +49 (0) 6132 - 84463

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin irritation, Category 2 H315: Causes skin irritation.

Skin sensitisation, Category 1 H317: May cause an allergic skin reaction.

Eye irritation, Category 2 H319: Causes serious eye irritation.

Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

Basfoliar® Black SL



Version: 1.1
Date of last issue: 30.05.2023
Date of first issue: 30.05.2023

Revision Date:
08.02.2024

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms	:		
Signal word	:	Warning	
Hazard statements	:	H315 H317 H319	Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation.
Precautionary statements	:	Prevention: P260 P280 Response: P337 + P313 P362 + P364 Disposal: P501	Do not breathe dust/ fume/ gas/ mist/ vapours/ spray. Wear protective gloves/ protective clothing/ eye protection/ face protection. If eye irritation persists: Get medical advice/ attention. Take off contaminated clothing and wash it before reuse. Dispose of contents/ container to an approved waste disposal plant.

2.3 Other hazards

Product does not contain substances which are persistent, bioaccumulative, and toxic (PBT) at levels of 0.1% or higher.
Product does not contain substances which are very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : Liquid mixture of organic and inorganic salts of fertilizers.

Hazardous components

Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)

Material Safety Data Sheet
 according to Regulation (EC) No. 1907/2006

Basfoliar® Black SL



Version: 1.1
 Date of last issue: 30.05.2023
 Date of first issue: 30.05.2023

Revision Date:
 08.02.2024

potassium hydroxide	1310-58-3	Acute Tox. 4; H302 Skin Corr. 1A; H314 Met. Corr. 1; H290	>= 0,5 - < 2
	215-181-3		
	01-2119487136-33-XXXX	specific concentration limit	
		Skin Corr. 1A; H314	
		>= 5 %	
		Skin Corr. 1B; H314	
		2 - < 5 %	
		Skin Irrit. 2; H315	
		0,5 - < 2 %	

Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

Basfoliar® Black SL



Version: 1.1
 Date of last issue: 30.05.2023
 Date of first issue: 30.05.2023

Revision Date:
 08.02.2024

1,2-benzisothiazol-3(2H)-one	2634-33-5	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1; H317 Aquatic Acute 1; H400	>= 0,05 - < 1
	220-120-9	specific concentration limit Skin Sens. 1; H317 >= 0,05 %	
		Acute toxicity estimate Acute oral toxicity: 500 mg/kg	

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

- General advice : If you feel unwell, seek medical advice (show the label where possible).
 Never give anything by mouth to an unconscious person.
- If inhaled : If breathed in, move person into fresh air.
 If breathing is irregular or stopped, administer artificial respiration.
 If unconscious, place in recovery position and seek medical advice.
- In case of skin contact : Take off immediately all contaminated clothing.
 Wash off with soap and plenty of water.
 Do NOT use solvents or thinners.
 Consult a doctor if skin irritation persists.

Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

Basfoliar® Black SL



Version: 1.1

Date of last issue: 30.05.2023

Date of first issue: 30.05.2023

Revision Date:

08.02.2024

-
- | | |
|------------------------|---|
| In case of eye contact | : In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
Obtain medical attention. |
| If swallowed | : Rinse mouth.
Do NOT induce vomiting.
Call a physician immediately. |

4.2 Most important symptoms and effects, both acute and delayed

- | | |
|----------|---|
| Symptoms | : irritant effects
Blistering
Allergic reactions
Redness
Dermatitis |
|----------|---|

4.3 Indication of any immediate medical attention and special treatment needed

- | | |
|-----------|--------------------------|
| Treatment | : Treat symptomatically. |
|-----------|--------------------------|
-

SECTION 5: Firefighting measures

5.1 Extinguishing media

- | | |
|--------------------------------|--|
| Suitable extinguishing media | : Water spray jet
Foam
Dry powder
Carbon dioxide (CO ₂) |
| Unsuitable extinguishing media | : High volume water jet |

5.2 Special hazards arising from the substance or mixture

- | | |
|--------------------------------------|---|
| Specific hazards during firefighting | : As the product contains combustible organic components, fire will produce dense black smoke containing hazardous products of combustion (see section 10). |
|--------------------------------------|---|

5.3 Advice for firefighters

- | | |
|---|---|
| Special protective equipment for firefighters | : Use personal protective equipment. In the event of fire, wear self-contained breathing apparatus. |
| Further information | : Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Use water spray to cool unopened containers. |
-

Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

Basfoliar® Black SL



Version: 1.1
Date of last issue: 30.05.2023
Date of first issue: 30.05.2023

Revision Date:
08.02.2024

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Keep out unprotected persons and animals.
Avoid contact with skin, eyes and clothing.
Use personal protective equipment.
Refer to protective measures listed in sections 7 and 8.

6.2 Environmental precautions

Environmental precautions : Do not flush into surface water or sanitary sewer system.
If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Avoid contact with skin, eyes and clothing.
Do not eat, drink or smoke when using this product.
Wear personal protective equipment.

Advice on protection against fire and explosion : No special precautions required.

Hygiene measures : Wash hands before breaks and at the end of workday.

7.2 Conditions for safe storage, including any incompatibilities

Further information on storage conditions : Keep only in the original container in a cool, well-ventilated place. Keep away from direct sunlight. Keep away from heat.

Advice on common storage : Keep away from oxidizing agents and strongly acid or alkaline materials.
Keep away from food, drink and animal feedingstuffs.

Storage class (TRGS 510) : 12, Non Combustible Liquids

Recommended storage : 5 - 35 °C



Basfoliar® Black SL

Version: 1.1
Date of last issue: 30.05.2023
Date of first issue: 30.05.2023

Revision Date:
08.02.2024

temperature

7.3 Specific end use(s)

Specific use(s) : Always read the label and product information before use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

8.2 Exposure controls

Engineering measures

Ensure thorough ventilation of stores and work areas.

Personal protective equipment

Eye protection : Safety glasses with side-shields conforming to EN166

Hand protection

Material : PVC

Break through time : > 480 min

Glove length :

Remarks : Chemical resistant protective gloves (EN 374). Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Skin and body protection : Safety shoes
Impervious clothing

Respiratory protection : No personal respiratory protective equipment normally required.
Breathing apparatus needed only when aerosol or mist is formed.

Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

Basfoliar® Black SL



Version: 1.1
Date of last issue: 30.05.2023
Date of first issue: 30.05.2023

Revision Date:
08.02.2024

Protective measures : Handle in accordance with good industrial hygiene and safety practice.

Environmental exposure controls

General advice : Do not flush into surface water or sanitary sewer system.
If the product contaminates rivers and lakes or drains inform respective authorities.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state : liquid

Colour : black

Odour : characteristic

Odour Threshold : No data available

pH : 11,3

Melting point/range : No data available

Boiling point/boiling range : No data available

Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Upper explosion limit : No data available

Lower explosion limit : No data available

Vapour pressure : No data available

Relative vapour density : No data available

Relative density : 1,095

Solubility(ies)
Water solubility : completely soluble

Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

Basfoliar® Black SL



Version: 1.1
Date of last issue: 30.05.2023
Date of first issue: 30.05.2023

Revision Date:
08.02.2024

Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: Not applicable
Auto-ignition temperature	: No data available
Decomposition temperature	: No decomposition if stored and applied as directed.
Viscosity	
Viscosity, dynamic	: No data available
Viscosity, kinematic	: No data available
Explosive properties	: Not explosive
Oxidizing properties	: Not considered an oxidizing substance

9.2 Other information

Surface tension : No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

Exothermic reaction with acids.
No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : Reacts with acids.

10.4 Conditions to avoid

Conditions to avoid : Extremes of temperature and direct sunlight.

10.5 Incompatible materials

Materials to avoid : Acids

10.6 Hazardous decomposition products

SECTION 11: Toxicological information

Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

Basfoliar® Black SL



Version: 1.1
Date of last issue: 30.05.2023
Date of first issue: 30.05.2023

Revision Date:
08.02.2024

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Product:

Acute oral toxicity : Remarks: Health injuries are not known or expected under normal use.
Information given is based on data obtained from similar substances.

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : Remarks: No data available

Components:

potassium hydroxide:

Acute oral toxicity : LD50 (Rat): 365 mg/kg

1,2-benzisothiazol-3(2H)-one:

Acute oral toxicity : Acute toxicity estimate: 500 mg/kg

Skin corrosion/irritation

Product:

Remarks: Irritating to skin.

Components:

potassium hydroxide:

Remarks: Causes skin burns.

Serious eye damage/eye irritation

Product:

Remarks: Severe eye irritation

Components:

potassium hydroxide:

Remarks: Causes eye burns.

Respiratory or skin sensitisation

Product:

Result: May cause sensitisation by skin contact.

germ cell mutagenicity

Product:

Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

Basfoliar® Black SL



Version: 1.1
Date of last issue: 30.05.2023
Date of first issue: 30.05.2023

Revision Date:
08.02.2024

Genotoxicity in vitro : Remarks: No data available

Carcinogenicity

Product:

Remarks: Contains no ingredient listed as a carcinogen

Reproductive toxicity

Product:

Effects on fertility :
Remarks: No toxicity to reproduction

Effects on foetal development : Remarks: Contains no ingredient listed as toxic to reproduction

STOT - single exposure

Product:

Assessment: The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT - repeated exposure

Product:

Assessment: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties

No data available

Further information

No data available

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to fish : Remarks: No data available
There is a high probability that the product is acute not

Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

Basfoliar® Black SL



Version: 1.1
Date of last issue: 30.05.2023
Date of first issue: 30.05.2023

Revision Date:
08.02.2024

harmful to aquatic organisms.

Toxicity to daphnia and other aquatic invertebrates : Remarks: No data available

Toxicity to algae : Remarks: No data available

Components:

potassium hydroxide:

Toxicity to fish : LC50 (Fish): 50 - 165 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 30 - 1.000 mg/l
Exposure time: 48 h

1,2-benzisothiazol-3(2H)-one:

Toxicity to fish : LC50 (Salmo trutta (brown trout)): = 2,18 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): = 2,18 mg/l
Exposure time: 48 h

Toxicity to algae : ErC50 (Pseudokirchneriella subcapitata (green algae)): = 0,11 mg/l
Exposure time: 72 h

12.2 Persistence and degradability

Product:

Biodegradability : Remarks: Expected to be biodegradable

12.3 Bioaccumulative potential

Product:

Bioaccumulation : Remarks: No bioaccumulation is to be expected (log Pow <= 4).

12.4 Mobility in soil

Product:

Mobility : Remarks: No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : Product does not contain substances which are persistent, bioaccumulative, and toxic (PBT) at levels of 0.1% or higher..

Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

Basfoliar® Black SL



Version: 1.1
Date of last issue: 30.05.2023
Date of first issue: 30.05.2023

Revision Date:
08.02.2024

Product does not contain substances which are very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

No data available

12.7 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

- Product : Do not flush into surface water or sanitary sewer system. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations.
- Contaminated packaging : Observe national and local legal requirements.

SECTION 14: Transport information

14.1 UN number or ID number

Not regulated as a dangerous good

14.2 UN proper shipping name

Not regulated as a dangerous good

14.3 Transport hazard class(es)

Not regulated as a dangerous good

14.4 Packing group

Segregation group : : (-)

Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

Basfoliar® Black SL



Version: 1.1

Date of last issue: 30.05.2023

Date of first issue: 30.05.2023

Revision Date:

08.02.2024

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

Not applicable

Water hazard class : WGK 3 highly hazardous to water
(Germany)

15.2 Chemical safety assessment

Not relevant

SECTION 16: Other information

Full text of H-Statements

H290 : May be corrosive to metals.
H302 : Harmful if swallowed.
H314 : Causes severe skin burns and eye damage.
H315 : Causes skin irritation.
H317 : May cause an allergic skin reaction.
H318 : Causes serious eye damage.
H400 : Very toxic to aquatic life.

Full text of other abbreviations

Acute Tox. : Acute toxicity
Aquatic Acute : Short-term (acute) aquatic hazard
Eye Dam. : Serious eye damage
Met. Corr. : Corrosive to metals
Skin Corr. : Skin corrosion
Skin Irrit. : Skin irritation
Skin Sens. : Skin sensitisation

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory

Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

Basfoliar® Black SL



Version: 1.1

Date of last issue: 30.05.2023

Date of first issue: 30.05.2023

Revision Date:

08.02.2024

concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

DE / EN