



Elasto G5[®]

Adjuvant

syngenta[®]

Adjuvant registration number: 0915

A suspension concentrate formulation containing 68.0 % w/v copolymer of glycerol/coconut fatty acid/phthalic acid anhydride.

An adjuvant for use with all authorised plant protection products in ornamental plant production, all edible crops and managed amenity turf.

The (COSHH) Control of Substances Hazardous to Health Regulations may apply to the use of this product at work.

SAFETY PRECAUTIONS

The directions for use on the label of plant protection product have to be followed and have priority over the label of ELASTO G5. Follow the general safety precautions for chemicals.

(a) Operator protection

Follow all operator protection instructions for the plant protection product. Where the personal protective equipment specified on the adjuvant label is different to that specified on the plant protection product label, the highest level of protective equipment must be worn.

Avoid contact with skin and eyes. Avoid inhalation.

In case of skin contact wash off immediately with soap and water.

In case of eye contact rinse thoroughly with warm water and seek medical aid.

If inhaled remove person to fresh air and get medical attention.

After ingestion consult a doctor immediately.

(b) Environmental protection

Do not contaminate water with the product or its container.

Do not clean application equipment near surface water. Avoid contamination via drains from farmyards and roads.

(c) Storage and disposal

Keep well closed in original container.

Do not store at temperatures above 50°C for extended periods.

Rinse the containers thoroughly with water before disposal.

Keep out of reach of children.

To avoid risks to human health and the environment, comply with the instructions for use.

**In case of toxic or transport emergency ring
+44 (0)1484 538444 any time**

Syngenta UK Limited,
Jealott's Hill International Research Centre,
Bracknell, Berkshire, RG42 6EY
Tel +44 (0) 1223 863400

PROTECT FROM FROST.

This product label is compliant with the
CPA Voluntary Initiative (VI) guidance.



**The
Voluntary
Initiative**

L1136028 GBRI/04D PPE 4230755

5 litres

Product names marked ® or ™, the ALLIANCE FRAME
the SYNGENTA Logo and the PURPOSE ICON
are Trademarks of a Syngenta Group Company

Adjuvant registration number: 0915

A suspension concentrate formulation containing 68.0 % w/w copolymer of glycerol/coconut fatty acid/phtalic acid anhydride.

An adjuvant for use with all authorised plant protection products in ornamental plant production, all edible crops and managed amenity turf.

SAFETY PRECAUTIONS

The directions for use on the label of plant protection product have to be followed and have priority over the label of ELASTO G5®. Follow the general safety precautions for chemicals.

(a) Operator protection

Follow all operator protection instructions for the plant protection product. Where the personal protective equipment specified on the adjuvant label is different to that specified on the plant protection product label, the highest level of protective equipment must be worn.

Prevent contact with skin and eyes. Prevent inhalation.

In case of skin contact wash off immediately with soap and water.

In case of eye contact rinse thoroughly with warm water and seek medical aid.

If inhaled remove person to fresh air and get medical attention.

After ingestion consult a doctor immediately.

(b) Environmental protection

Do not contaminate water with the product or its container.

Do not clean application equipment near surface water. Avoid contamination via drains from farmyards and roads.

(c) Storage and disposal

Keep well closed in original container.

Do not store at temperatures above 50°C for extended periods.

Rinse the containers thoroughly with water before disposal.

Keep out of reach of children.

To avoid risks to human health and the environment, comply with the instructions for use.

IMPORTANT INFORMATION

FOR USE ONLY AS AN ADJUVANT

Crops	Ornamental plant production All edible crops* Managed amenity turf
Pesticides:	All authorised plant protection products
Maximum individual dose:	250 mL per 100 litres of spray solution (0.25% v/v)
Maximum number of treatments:	Follow the statutory conditions of use of the plant protection product
Latest time of application:	Follow the statutory conditions of use of the plant protection product

READ THE LABEL BEFORE USE. USING THIS PRODUCT IN A MANNER THAT IS INCONSISTENT WITH THE LABEL MAY BE AN OFFENCE. FOLLOW THE CODE OF PRACTICE FOR USING PLANT PROTECTION PRODUCTS.

DIRECTIONS FOR USE

GENERAL INFORMATION

Elasto G5 is a mild, crop-friendly product. Elasto G5 improves the effectiveness of various plant protection products. It optimizes the wetting and distribution of plant protection products on the leaf surface and the contact between spray droplets on the leaf surface and pest organisms and enhances the uptake of plant protection products into the plant.

Only use Elasto G5 in a pH range of 3.0-9.0

Crops

ELASTO G5 can be used as an adjuvant with herbicides, insecticides, fungicides and plant growth regulators in edible crops and non edible crops (including ornamentals and turf), non-crop production and stubble. Follow the statutory condition of use of the plant protection product.

Dose

250 mL per 100 litres of spray solution (0.25% v/v). In addition, this adjuvant may be used at a maximum concentration of 0.5 % spray solution on the following crops, up to the growth stages specified, with all authorised plant protection products applied up to their full authorised rate.

MIXING AND SPARYING

Always follow the instructions on the label of the crop protection product. Our recommendation is to add ELASTO G5 as the last step in the preparation of the spray solution. ELASTO G5 can be dissolved easily in the spray solution by gently stirring the solution.

In case of doubt regarding the mixture compatibility with a specific plant protection product or the crop safety of the adjuvant towards a specific crop, it is recommended to use ELASTO G5 on a small area first before applying it at a larger scale.

NEW CERTIFICATE

Crops/situations:	Plant protection product:	Maximum concentration (% spray solution):	Maximum number of treatments:	Latest time of application:
Ornamental plant Production	All authorised plant protection products	250 mL per 100 litres of spray solution (0.25% v/v)	Follow the statutory conditions of use of the plant protection product	Follow the statutory conditions of use of the plant protection product
Managed amenity turf	All authorised plant protection products	250 mL per 100 litres of spray solution (0.25% v/v)	Follow the statutory conditions of use of the plant protection product	Follow the statutory conditions of use of the plant protection product
All edible crops	All authorised plant protection products at half or less than half the authorised plant protection product rate*	250 mL per 100 litres of spray solution (0.25% v/v)	Follow the statutory conditions of use of the plant protection product	Follow the statutory conditions of use of the plant protection product
Non crop production	All authorised plant protection products	250 mL per 100 litres of spray solution (0.25% v/v)	Follow the statutory conditions of use of the plant protection product	Follow the statutory conditions of use of the plant protection product
All non edible crops (stubble), all edible crops (stubble)	All authorised plant protection products	250 mL per 100 litres of spray solution (0.25% v/v)	Follow the statutory conditions of use of the plant protection product	Follow the statutory conditions of use of the plant protection product

*In addition, this adjuvant may be used at a maximum concentration of 0.25 % spray solution on the following crops, up to the growth stages specified, with all authorised plant protection products applied up to their full authorised rate:

- Almond: up to and including first fruit set
- Apple and pear: up to and including fruit 5 - 10 mm
- Apricot, cherry, peach and nectarine, plum: up to and including first fruit set
- Aubergine, Cucumber, Melon, Pepper and Chilli, Winter Squash and Pumpkin: up to and including first fruit set
- Beans without pods (dry): Up to and including first pod set
- Beans without pods (fresh): Up to and including first pod set
- Blackberry: up to and including first fruit development
- Blackcurrant and redcurrant: up to and including first visible green fruitlet
- Borage: beginning of ripening (seed green)
- Broad bean (fresh), Dwarf French bean, Runner beans, Edible podded pea: up to and including first pod set
- Broccoli / calabrese: up to and including heads begin to form; width of growing tip > 1 cm²
- Brussels sprout: up to and including lateral buds begin to develop
- Cabbage: up to and including heads begin to form
- Carrot, Parsnip, Turnip, Swede: up to and including 9 true leaves unfolded
- Cauliflower: up to and including cauliflower heads begin to form; width of growing tip up to 1 cm²
- Cereals: up to and including GS52 (1/4 inflorescence)
- Collard, kale: main shoot has reached 30% of the expected height typical for the variety
- Combining pea: up to and including flat pod (non-edible pods only)
- Field bean: up to and including first pod set
- Fodder beet, Mangel: up to and including 6 fully expanded leaves
- Forage Maize: up to and including tip of tassel visible
- Garlic, Bulb Onion, Shallot, salad onion: up to and including 9 leaves clearly visible
- Hops: up to and including cone set
- Leek: up to and including 9 leaves clearly visible
- Lettuce: Varieties forming heads: up to and including heads begin to form. Varieties not forming heads: up to and including leaf rosette has reached 30% of the diameter typical for the variety
- Linseed: up to and including 10% capsules formed
- Oilseed rape: up to and including 10% potential pods
- Oriental cabbages:
 - Varieties forming heads: up to and including heads begin to form.
 - Varieties not forming heads: up to and including leaf rosette has reached 30% of the diameter typical for the variety
- Potato: up to and including tuber initiation
- Raspberry: up to and including first fruit set
- Red beet: up to and including six fully expanded leaves. Does not include beetroot grown for salad leaf use
- Rocket: up to and including 3rd true leaf unfolded
- Soya bean - (dry): end of flowering: first pods visible (approx. 5mm length) - BBCH 69-609
- Soya bean: end of flowering: first pods visible (approx. 5mm length) - BBCH 69-609
- Spinach: leaf rosette has reached 30% of the expected diameter typical for the variety
- Strawberry: up to and including first fruit development
- Sugar beet: up to and including 6 fully expanded leaves
- Sweetcorn: up to and including tip of tassel visible
- Table Grapes, Wine Grapes: up to and including first fruit set
- Tomato: up to and including first fruit set on first truss
- Vining pea: up to and including flat pod (non-edible pods only)

To access the Safety Data Sheet for this product, scan QR code:



Alternatively, contact your supplier.

Adjuvant registration number: 0915

A suspension concentrate formulation containing 68.0 % w/w copolymer of glycerol/coconut fatty acid/phthalic acid anhydride.

An adjuvant for use with all authorised plant protection products in ornamental plant production, all edible crops and managed amenity turf.

SAFETY PRECAUTIONS

The directions for use on the label of plant protection product have to be followed and have priority over the label of ELASTO G5®. Follow the general safety precautions for chemicals.

(a) Operator protection

Follow all operator protection instructions for the plant protection product. Where the personal protective equipment specified on the adjuvant label is different to that specified on the plant protection product label, the highest level of protective equipment must be worn.

Prevent contact with skin and eyes. Prevent inhalation.

In case of skin contact wash off immediately with soap and water.

In case of eye contact rinse thoroughly with warm water and seek medical aid.

If inhaled remove person to fresh air and get medical attention.

After ingestion consult a doctor immediately.

(b) Environmental protection

Do not contaminate water with the product or its container.

Do not clean application equipment near surface water. Avoid contamination via drains from farmyards and roads.

(c) Storage and disposal

Keep well closed in original container.

Do not store at temperatures above 50°C for extended periods.

Rinse the containers thoroughly with water before disposal.

Keep out of reach of children.

To avoid risks to human health and the environment, comply with the instructions for use.

IMPORTANT INFORMATION

FOR USE ONLY AS AN ADJUVANT

Crops	Ornamental plant production All edible crops* Managed amenity turf
Pesticides:	All authorised plant protection products
Maximum individual dose:	250 mL per 100 litres of spray solution (0.25 % v/v)
Maximum number of treatments:	Follow the statutory conditions of use of the plant protection product
Latest time of application:	Follow the statutory conditions of use of the plant protection product

READ THE LABEL BEFORE USE. USING THIS PRODUCT IN A MANNER THAT IS INCONSISTENT WITH THE LABEL MAY BE AN OFFENCE. FOLLOW THE CODE OF PRACTICE FOR USING PLANT PROTECTION PRODUCTS.