

Compatibility of

LALGUARD M52^{OD}

Metarhizium brunneum strain Ma43

After 6 hours in tank mix with plant protection products



LALLEMAND PLANT CARE

Update 30/01/2024 p1/2

Family	Tradename	D (kg or L/ha)	D (%)	Active ingredient	Dosis M52 (L/ha)	S. VOL (L/ha)	COMPATIBLE
Fungicide	Luna Sensation	0,8 L/ha	0.40%	Fluopyram 200 g/L+Trifloxystrobine 200 g/L	1.25	200	YES
Fungicide	Armicarb	5 kg/ha	2.5%	Potassium bicarbonate 850 g/kg	1.25	200	YES
Fungicide	Signum	1,5 kg/ha	0.75%	Boscalid 26.7% + piraclostrobine 6.7%	1.25	200	YES
Fungicide	Teldor	1,5 kg/ha	0.75%	Fenhexamid 50%	1.25	200	YES
Fungicide	Switch	1 kg/ha	0.50%	Fludioxonil 25% + Cyprodinil 37,5%	1.25	200	YES
Fungicide	Scala	2 L/ha	1.0%	Pyrimethanil 400 g.L	1.25	200	YES
Insecticide	Naturalis	1,5 L/ha	0.75%	<i>Beauveria bassiana</i> souche ATCC74040 2.3 107 CFU/ml	1.25	200	YES
Insecticide	Limocide	8 L/ha	4.0%	Orange essential oil 6%	1.25	200	YES
Insecticide	Flipper	16 L/ha	8.0%	C14-18 Fatty acids 45,5%	1.25	200	YES
Fungicide	Rhapsody	8 L/ha	4.0%	<i>Bacillus subtilis</i> QST 713 1.109 CFU/g	1.25	200	YES
Fungicide	BB RSR Disperss	20 kg/ha	10.0%	Copper 20%	1.25	200	YES
Fungicide	Heliosoufre S	6 L/ha	3.0%	Sulphur 70% + Terpen derivatives	1.25	200	NO

The compatibility test are given for specific formulations. In case of any doubt, it is advisable to carry out a proper compatibility test.

LALGUARD M52 OD can be applied in mixtures with compatible products. However, the mixture should be applied immediately after preparation.

Dose rates are only given for test verification. Please refer to country specific registration for recommended dose rates.

Do not mix LALGUARD M52 OD with concentrated solutions of pesticides and fertilizers.

Possible phytotoxicity of the mixture should be checked prior to application.

For any mixing, please refer to the existing to country specific registration.

The physico-chemical properties of the spraying mixture should be checked prior to application.

